## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/28/2013 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` ′	(X2) MULTIPLE CONSTRUCTION  A. BUILDING			(X3) DATE SURVEY COMPLETED	
		155723	B. WING			1	R-C 02/22/2013	
NAME OF PROVIDER OR SUPPLIER  RIVER POINTE HEALTH CAMPUS				300 <sup>-</sup>	T ADDRESS, CITY, STATE, ZIP CODE  1 GALAXY DR  ANSVILLE, IN 47715			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG		PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPRO DEFICIENCY)	/E ACTION SHOULD BE ED TO THE APPROPRIATE		
{F 000}		Post Survey Revisit (PSR) Complaint IN00121753	{F 0	000}				
	completed on January	y 8, 2013. Inction with the Investigation						
	Complaint IN0012175	53 Corrected.						
	Survey dates: February 21 and 22,	2013						
	Facility number: 0022 Provider number: 155 AIM number: N/A							
	Survey team: Anne Marie Crays RN	ı						
	Census bed type: SNF: 47 SNF/NF: 10 Residential: 34 Total: 91							
	Census payor type: Medicare: 29 Medicaid: 9 Other: 53 Total: 91							
	Sample: 4 Residential sample: 4							
	compliance with 42 C	ampus was found to be in FR Part 483 Subpart B and						
ABORATORY	DIRECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE	

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/28/2013 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION  A. BUILDING			(X3) DATE SURVEY COMPLETED	
		155723	B. WING			R-C <b>02/22/2013</b>		
NAME OF PROVIDER OR SUPPLIER  RIVER POINTE HEALTH CAMPUS				30	EET ADDRESS, CITY, STATE, ZIP CODE 001 GALAXY DR VANSVILLE, IN 47715	, , , , , , , , , , , , , , , , , , , ,		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG		(EACH CORRECTIVE ACTION SHOUL	ROVIDER'S PLAN OF CORRECTION H CORRECTIVE ACTION SHOULD BE I-REFERENCED TO THE APPROPRIATE DEFICIENCY)		
{F 000}	410 IAC 16.2 in regar IN00121753.	eted on February 27, 2013,	{F 0	000}				